Notice of Allowability	Application No.	Applicant(s)
	09/998,766	DUANE, PATRICK J.
	Examiner	Art Unit
	(Jackie) Tan-Uyen T. Ho	3731
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. X This communication is responsive to 12/06/04.		
2. The allowed claim(s) is/are 22 and 25-27.		
3. 🔀 The drawings filed on 11 February 2002 are accepted by the Examiner.		
4. Acknowledgment is made of a claim for foreign priority una) All b) Some* c) None of the:  1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:  Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN	e been received. e been received in Application No cuments have been received in this of this communication to file a reply	national stage application from the
<ul> <li>THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.</li> <li>5. A SUBSTITUTE OATH OR DECLARATION must be subminformal PATENT APPLICATION (PTO-152) which give</li> </ul>		
<ul> <li>6. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.</li> <li>(a) including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached</li> <li>1) hereto or 2) to Paper No./Mail Date</li> <li>(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date</li> <li>Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).</li> <li>7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.</li> </ul>		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5 □ Notice of Informal I	Patent Application (PTO-152)
<ol> <li>Notice of References Cited (P10-092)</li> <li>Dotice of Draftperson's Patent Drawing Review (PT0-948)</li> </ol>	6. ☐ Interview Summary	
	Paper No./Mail Da	ite
<ol> <li>Information Disclosure Statements (PTO-1449 or PTO/SB/C Paper No./Mail Date</li> </ol>	08), 7. ⊠ Examiner's Amend	ment/Comment
4. Examiner's Comment Regarding Requirement for Deposit	8. X Examiner's Statem	ent of Reasons for Allowance
of Biological Material	9.	

Application/Control Number: 09/998,766

Art Unit: 3731

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. James F. Crittenden on 12/13/04 and 12/14/04.

The application has been amended as follows:

Claim 26:

- Line 21, after "elongate" delete "tubular"
- □ line 23-24, replace "wire-like proximal shaft and a relatively" with --proximal wire and a--.
- 2. The following is an examiner's statement of reasons for allowance: Claim 22, 25, 26 and 27 are allowed.

In regarding to claim 25, the prior art fails to disclose or suggest: an apparatus comprising in combination with other limitations of the claim, a proximal open apex can be displaced towards the distal open apex for transforming a protection element from the open configuration to a closed configuration and a distal open apex is slidingly coupled to a shaft having a stop to prevent distal advancement of the distal open apex.

In regarding to claim 26, the prior art fails to disclose or suggest: an apparatus comprising in combination with other limitations of the claim, an elongate actuator having an elongate proximal wire and a short tubular distal section.

In regarding to claim 27 and 22, the prior art fails to disclose or suggest: an apparatus comprising in combination with other limitations of the claim, an elongate tubular actuator comprising a tubular distal portion and sheath portion forming an annular pocket as claimed.

Mazzocchi et al. (6,605,102) Borillo et al. (2002/0138094) disclose an apparatus comprising a ring portion, a conical outer body, a conical inner body, and an elongated shaft. However, Mazzocchi et al. and Borillo et al. fail to disclose: a proximal open apex can be displaced towards the distal open apex for transforming a protection element from the open configuration to a closed configuration and a distal open apex is slidingly coupled to a shaft having a stop to prevent distal advancement of the distal open apex; an elongate actuator having an elongate proximal wire and a short tubular distal section; and an elongate tubular actuator comprising a tubular distal portion and sheath portion forming an annular pocket.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to (Jackie) Tan-Uyen T. Ho whose telephone number is 571-272-4696. The examiner can normally be reached on MULTIFLEX Mon. to Sat..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, ANHTUAN NGUYEN can be reached on 571-272-4963. The fax phone

Art Unit: 3731

number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

(Jackie) Tan-Uyen T.

Patent Examiner Art Unit 3731

December 14, 2004